

# Multi-Product Constrained Economic Production Quantity Models for Imperfect Quality Items with Rework

Hadi Mokhtari<sup>1\*</sup>, Aliakbar Hasani<sup>2</sup> & Ali Fallahi<sup>3</sup>

Received 1 September 2019; Revised 10 February 2021; Accepted 20 April 2021;  
© Iran University of Science and Technology 2021

## ABSTRACT

*One of the basic assumptions of classical production-inventory models is that all products are of perfect quality. However, in real manufacturing situations, the production of defective items is inevitable, and a fraction of the items produced may be naturally imperfect. In fact, items may be damaged due to production and/or transportation conditions in the manufacturing process. On the other hand, some reworkable items exist among imperfect items that can be made perfect by additional processing. In addition, the classical production-inventory models assume that there is only one product in the system and that there is an unlimited amount of resources. However, in many practical situations, several products are produced and there are some constraints related to various factors such as machine capacity, storage space, available budget, number of allowable setups, etc. Therefore, we propose new constrained production-inventory models for multiple products where the manufacturing process is defective and produces a fraction of imperfect items. A percentage of defective items can be reworked, and these products go through the rework process to become perfect and return to the consumption cycle. The goal is to determine economic production quantities to minimize the total cost of the system. The analytical solutions are each derived separately by Lagrangian relaxation method, and a numerical example is presented to illustrate and discuss the procedure. A sensitivity analysis is performed to investigate how the variation in the inputs of the models affects the total cost of the inventory system. Finally, some research directions for future works are discussed.*

**KEYWORDS:** *Economic production quantity; Imperfect quality items; Rework; Multi-product multi-constraint; Production-inventory planning.*

## 1. Introduction

In recent decades, both academics and practitioners have shown that one of the most important problems in manufacturing companies is the decision on production and inventory planning [1]. Until now, various issues in the field of production and inventory control systems have been presented to address these interrelated problems. Manufacturing companies work to meet external demands and carefully adjust their

production plans in order to meet the customer demands. Proper inventory planning requires two decisions: (i) how large an item should be produced/ordered, and (ii) when should an item be produced/ordered[2]. The first decision help managers determine production/order lot size, and the second one ensures accurate timing of inventory. The economic order quantity (EOQ) is the first lot-sizing model that has been used extensively to determine the optimal order lot size. The main assumption of this model is that orders are received by the buyer immediately at the moment. It finds the optimal strategy by creating a balance between holding and ordering costs. EOQ has been extended to the economic production quantity (EPQ) model under production conditions, where production occurs at a finite rate, and items are received gradually. The objective is to determine the optimal production lot size to minimize the total cost,

\*  
Corresponding author: Hadi Mokhtari  
mokhtari\_ie@kashanu.ac.ir

1. Associate professor, Department of Industrial Engineering, Faculty of Engineering, University of Kashan, Kashan, Iran.
2. Associate professor, Department of Industrial Engineering and Management, Shahrood University of Technology, Shahrood, Iran.
3. MSc student, Department of Industrial Engineering, Sharif University of Technology, Tehran, Iran.

including production setup cost and inventory cost. In recent years, many studies have been presented in the field of inventory planning and control, in which the classical inventory models have been extended in various directions to deal with more realistic and practical situations in manufacturing companies [1]. One of the main assumptions of classical inventory models is that all items produced are of perfect quality at all times. In real-world situations, production processes are not necessarily perfect, and the production of defective items is inevitable [3-6]. A production process is affected by several undesirable factors and thus, it is rarely possible for a machine/production system to produce items of perfect quality every time. Moreover, in an imperfect production process such as in the textile, glass, and chemical industries, a rework process for imperfect items is typical [7]. The perfect items go into consumption, and the imperfect items with unacceptable quality are discarded as rejects. The remaining imperfect items are reworked to return to the desired quality. The quality-related decisions of a produced item are made by quality control experts in manufacturing companies.

The impact of imperfect items on manufacturing processes has been investigated in the literature [4]. One of the earliest works in this research area was presented by Salameh and Jaber [3], in which they extended the EOQ model with imperfect quality items. The defective items were identified by a 100% inspection policy and sold at a lower price. After that, many authors tried to make the model more realistic by considering real-world situations. Shawky and Abou-El-Ata [8] proposed a constrained production quantity model under a trade policy. Ben-Daya and Rahim [9] studied a multi-stage imperfect production process in which an inspection process was performed to filter and discard the defective items in each stage. Jamal, et al. [10] proposed an inventory model where all defective items can be perfectly reworked. Ben-Daya, et al. [11] considered inventory inspection models with the no inspection, sample inspection, and full inspection policies. Teng and Yang [12] presented and discussed a constrained deterministic inventory model with time-varying demand and cost under generalized holding costs. Ojha, et al. [13] determined the optimal lot size quantity for an imperfect production process under the assumption that all imperfect items are reworkable. Jans and Degraeve [14] presented an overview of dynamic lot-sizing problems with operational and tactical considerations. Biswas

and Sarker [15] discussed rework of imperfect items during the production cycle and assumed that production segmentation can be performed along the cycle. Besides, rework of items was considered an imperfect process. Sarker, et al. [16] worked on two models for dealing with reworkable items in a multi-stage production process. The first policy proposed rework of items within the same cycle, while the second proposed accumulation of defective products for rework in a given time period. The superior performance of the second case was confirmed when the holding cost of work-in-process (WIP) items was low. Cárdenas-Barrón [17] extended the EPQ model for reworkable imperfect items by formulating the planned backorder in the problem. Lin [18] integrated the concept of powerful buyer (push system) into the EOQ model for defective items. This model considered multiple delivery police, salvage of defective items, and quantity discount as the options to satisfy the powerful customer. Barzoki, et al. [19] considered an imperfect production process where rework items are fully qualified. Wee and Widyadana [20] presented an EPQ model with rework and preventive maintenance operations for deteriorating items. Two cases of the model were formulated in terms of probability distribution of preventive maintenance time. Yoo, et al. [21] discussed inventory with imperfect production and different inspection options. Wee, et al. [22] relaxed the assumptions about the inspection rate in the EPQ for imperfect items by developing three cases where the production rate can be less than or equal to the inspection rate. Krishnamoorthi and Panayappan [23] studied rework for the production process and evaluated the sales return of poor quality items. Ameli, et al. [24] developed a modified entropic imperfect EPQ model for deterioration items under fuzzy inflation and discount rate. Another assumption in this inventory system was the price dependent demand rate. Sarkar, et al. [25] derived the optimal ordering policy of an imperfect inventory model based on the assumptions of delay in payment and stochastic lead time. Jaber, et al. [26] developed two cases of imperfect EOQ. The proposed policies were repairing defective items and substitution by purchasing from a local supplier. Hauck and Vörös [27] proposed the possibility of investment to speed up the inspection process in the imperfect EOQ model. They also developed a new case where the production quality state can be changed along with the cycles. A fuzzy extension of EPQ for imperfect quality items was presented by Kumar

and Goswami [28], who discussed constraints on the allowable shortage and available space of the inventory system. They considered both salvage and rework policies for imperfect items, and a particle swarm optimization approach was used to solve the problem. Al-Salamah [29] studied an imperfect EOQ model under two inspection policies: destructive and non-destructive. Two types of inspection errors were considered to make the model more realistic. Rezaei [30] reviewed the 100% inspection policy for inventory systems with imperfect quality items and concluded that it is more beneficial to have a sampling inspection plan for quality assessment of the received lot. Mahata [31] investigated a new EPQ model with partial order shortage and fuzzy cost parameters. Some other features of this work were random shifting of the machine to the out-of-control state, rework of defective products, and learning during production operation. Aslani, et al. [32] presented an inventory system with partial backordering and random yield production process. Manna, et al. [33] presented a modified imperfect EPQ and assumed that the production rate of the defective products depends on the total production rate of the system. The demand of the system depended on advertising. Mokhtari [7] developed a joint production and lot-sizing decision in an imperfect EPQ system with uncertain demand. To cope with the production of defective items, ordering from an external supplier was possible. Kazemi, et al. [34] incorporated carbon emission concerns into an ordering inventory system and developed a sustainable extension of EOQ. Sebatjane and Adetunji [35] first introduced the concept of imperfect quality items in the EOQ model for growing items. Mokhtari and Asadkhani [5] proposed the batch replacement policy for EOQ with imperfect items under different types of inspection errors. Nobil, et al. [36] considered the lead time for the model of Salameh and Jaber [3] and calculated the optimal reorder point for this inventory system. Alfares and Afzal [37] formulated the order shortage in the inventory model for imperfect quality enhancing items. Fallahi, et al. [1] presented an EPQ model for imperfect quality items where preventive maintenance and multiple shipments delivery policies were considered in the inventory system. Asadkhani, et al. [38] investigated the impact of learning in the inspection process in EOQ models with different policies for defective items.

In the real world, there are usually multiple products that manufacturers should manage, and only a limited number of resources are available

to be used [39]. However, traditional production and inventory models ignore such constraints and are therefore impractical. Recently, researchers have discussed the production and inventory problems with various types of constraints, such as limited machine capacity, storage space, budget, number of orders/setups, etc.

In this line of research, Mondal and Maiti [40] studied a fuzzy inventory model with the budget, setup, and storage space constraints. The proposed problem was a nonlinear programming model and they solved it using a genetic algorithm. In another extension, Baykasoğlu and Göçken [41] used different ranking methods to deal with the resource constraints of the fuzzy multi-product EOQ system. Pasandideh and Niaki [42] first discussed the discrete pallet delivery constraint and the storage space constraint for the multi-product inventory system. A genetic algorithm was designed to solve the problem. Mohan, et al. [43] investigated the concept of payment delay in multiproduct EOQ. To represent a more realistic system, a limit on the total available space of the warehouse was considered. The second case of this model under partial payment delay was also formulated. Pasandideh, et al. [44] incorporated the order shortage in the work of Pasandideh and Niaki [42]. Similarly, genetic algorithm was the proposed solution approach. Pasandideh, et al. [45] derived the optimal replenishment policy for EOQ with multiple products in a two-level supply chain network. The system was operated under vendor managed inventory (VMI) policy and constraints on the setup number and available space. Pal, et al. [46] developed a multi-product EOQ for an inventory system with price-sensitive demand. The objective function of the model was subjected to a price break level. Khalilpourazari, et al. [47] proposed a multi-item EPQ model for an inventory system with constraints on the imposed cost and total available space. Khalilpourazari and Pasandideh [48] discussed nonlinear holding costs in a multi-product EOQ with order shortage. In addition to the total budget and space available, the model constrained the total holding cost and the shortage cost of the system. A metaheuristic moth-flame optimization algorithm was developed to solve the model. Tiwari, et al. [49] proposed an environmentally responsible production system that considered trade credits for customers. They also discussed the rework of imperfect quality items. Khalilpourazari and Pasandideh [50] introduced a bi-objective multi-item partial backorder EOQ to simultaneously

optimize the total system cost and the occupied space of the warehouse. The problem also dealt with imperfect quality items and constraints on the holding cost and shortage cost of the system. Khalilpourazari, et al. [39] developed multi-product EPQ under inspection errors, where the order shortage of items was also allowed. In this work, various operational constraints such as allowable holding and shortage cost, occupied space, and available budget were considered. Khalilpourazari, et al. [51] incorporated various sampling inspection plans into the imperfect EOQ model for multiple products under uncertainty. They subjected the mathematical model to real-world constraints such as warehouse capacity and total available budget. Khalilpourazari, et al. [52] presented the multi-item EPQ with imperfect items and rework process which works under the

budget constraint. The uncertainty of parameters are discussed by two version of chance constraint programming . Mokhtari and Rezvan [53] extended the multi-product case of EPQ under VMI setting, imposing an upper limit on the total greenhouse gas emission of the system. The work of Nabil, et al. [2] focused on multi-product EPQ in a two-level supply chain where the inventory system is operated under the constrains of single machine capacity, available budget, and maximum shipment. In the work of Mokhtari and Fallahi [54], the available budget for investment was constrained in the production capacity of the EPQ model. This model was formulated under the assumptions of inflation and time value of money. Table 1 presents the key features of the related inventory problems.

**Tab. 1. Review of related inventory problems**

Paper	Year	Model structure	Number of products	Dealing with imperfect quality items				Real-world constraints					
				Rework (Repair)	Disposal	Salvage	Return	Machine capacity	Storage space	Budget	Number of setups (orders)	Other types	
Salameh and Jaber [3]	2000	EOQ	Single			✓							
Ben-Daya and Rahim [9]	2003	EPQ	Single		✓								
Mondal and Maiti [40]	2003	EOQ	Multiple						✓	✓	✓		
Jamal, et al. [10]	2004	EPQ	Single	✓									
Ben-Daya, et al. [11]	2006	EOQ	Single	✓	✓								
Baykasoğlu and Göçken [41]	2007	EOQ	Multiple						✓		✓		
Ojha, et al. [13]	2007	EOQ/EPQ	Multiple	✓									
Biswas and Sarker [15]	2008	EPQ	Single	✓	✓								
Pasandideh and Niaki [42]	2008	EPQ	Multiple						✓				✓
Sarker, et al. [16]	2008	EPQ	Single	✓									
Mohan, et al. [43]	2008	EOQ	Multiple							✓			
Cárdenas-Barrón [17]	2009	EPQ	Single	✓									
Pasandideh, et al. [44]	2010	EPQ	Multiple						✓				✓
Lin [18]	2010	EOQ	Single			✓							
Barzoki, et al. [19]	2011	EPQ	Single	✓		✓							
Pasandideh, et al. [45]	2011	EOQ	Multiple						✓		✓		
Wee and Widyadana [20]	2012	EPQ	Single	✓	✓								
Krishnamoorthi and Panayappan [23]	2012	EPQ	Single	✓			✓						
Yoo, et al. [21]	2012	EPQ	Single	✓	✓	✓	✓						
Pal, et al. [46]	2012	EOQ	Multiple										✓
Wee, et al. [22]	2013	EPQ	Single	✓		✓							✓
Ameli, et al. [24]	2013	EPQ	Single			✓							
Sarkar, et al. [25]	2014	EOQ	Single	✓									
Jaber, et al. [26]	2014	EOQ	Single	✓	✓								
Hauck and Vörös [27]	2015	EOQ	Single		✓								
Kumar and	2015	EPQ	Single	✓		✓				✓			✓

Paper	Year	Model structure	Number of products	Dealing with imperfect quality items				Real-world constraints					
				Rework (Repair)	Disposal	Salvage	Return	Machine capacity	Storage space	Budget	Number of setups (orders)	Other types	
Goswami [28]													
Al-Salamah [29]	2016	EPQ	Single	✓	✓	✓	✓						
Khalilpourazari, et al. [47]	2016	EPQ	Multiple						✓				✓
Rezaei [30]	2016	EOQ	Single			✓	✓						
Mahata [31]	2017	EPQ	Single	✓									
Khalilpourazari and Pasandideh [48]	2017	EOQ	Multiple						✓	✓			✓
Aslani, et al. [32]	2017	EOQ	Single				✓						
Manna, et al. [33]	2017	EPQ	Single			✓							
Tiwari, et al. [49]	2018	EPQ	Multiple	✓	✓								✓
Mokhtari [7]	2018	EPQ	Single	✓	✓								
Kazemi, et al. [34]	2018	EOQ	Single		✓	✓							
Khalilpourazari and Pasandideh [50]	2018	EOQ	Multiple				✓						✓
Khalilpourazari, et al. [39]	2019	EOQ	Multiple				✓		✓	✓			
Sebatjane and Adetunji [35]	2019	EOQ	Single			✓							✓
Khalilpourazari, et al. [51]	2019	EOQ	Multiple				✓		✓	✓			
Mokhtari and Asadkhani [5]	2019	EOQ	Single			✓	✓						
Khalilpourazari, et al. [52]	2019	EPQ	Multiple	✓						✓			
Mokhtari and Rezvan [53]	2020	EPQ	Multiple										✓
Nobil, et al. [2]	2020	EPQ	Multiple					✓		✓			✓
Mokhtari and Fallahi [54]	2020	EPQ	Single										✓
Nobil, et al. [36]	2020	EOQ	Single		✓								
Alfares and Afzal [37]	2021	EOQ	Single		✓								
Fallahi, et al. [1]	2021	EPQ	Single		✓								
Asadkhani, et al. [38]	2021	EOQ	Single	✓	✓	✓	✓						
Present work	2021	EPQ	Multiple	✓	✓			✓	✓	✓	✓	✓	

To the best of our knowledge, there is no work in the literature that addresses a multi-product imperfect EPQ model with rework and disposal policies while simultaneously considering four well-known operational constraints on machine capacity, storage space, available budget, and number of setups. In this paper, we propose new production-inventory models for multiple products under EPQ settings where a manufacturer produces multiple products over a finite production rate. It is assumed that the production process is defective and produces a fraction of imperfect items. The imperfect products are also in the rework process to become perfect and return to the consumption cycle. The objective is to determine optimal/economic production quantities so that the total cost of the system is minimized.

The rest of this paper is structured as follows. Section 2 defines the basic single product problem and introduces assumptions. Then, Section 3 extends the basic model to a multi-product problem with machine capacity constraints. Sections 4-6 consider such an extension for the constraints of storage space, budget, and number of setups. Section 7 describes a numerical example and Section 8 performs a sensitivity analysis. Finally, Section 9 concludes the paper.

## 2. Problem Statement and Assumptions

In the traditional EOQ model, the demand is deterministic and constant over the planning horizon, and the order is received immediately. The model aims to describe the optimal order quantity for items so that total costs, including

holding and ordering costs, are minimize. In each inventory cycle  $T$  of this model, the order is received immediately, and the stored inventory is then consumed at the demand rate  $D$  until it reaches zero during the inventory cycle  $T$ . The ordering process incurs a fixed cost, denoted by  $A$ , and the inventory is stored at a holding cost per unit time  $h$ . The objective is to find the economic order quantity  $Q$  so that the total cost of inventory is minimized with ordering and holding costs. Considering the model characteristics, the parameters of the model are defined as  $T = Q/D$  and  $I_{max} = Q$ . The holding cost per cycle is  $HC = hQ^2/(2D)$  and the fixed ordering cost per order is  $OC = A$ . The holding and setup costs per unit time are calculated by dividing  $HC$  and  $OC$  by the inventory cycle  $T$ , as  $HCU = HC/T = hQ/2$  and  $OC = AD/Q$ . Therefore, the total cost is calculated as  $TCU = hQ/2 + AD/Q$ . Then, the optimal ordering quantity and the total cost are derived by setting the derivative of  $TCU$  to zero, as  $Q^* = \sqrt{2AD/h}$  and  $TCU(Q^*) = \sqrt{2ADh}$ . So far, several versions of the EOQ have been proposed by relaxing some basic assumptions or adding new assumptions to the traditional ordering model. As a useful extension of the basic economic order quantity model, the EPQ model determines the optimal production quantity per cycle to minimize the total cost by balancing the production setup cost and the inventory holding cost. The difference between these two models is that the production problem assumes that the manufacturer produces its own quantity. Therefore, orders are available incrementally over a finite rate, while EOQ assumes that the order quantity is received immediately after the total

order is placed. In the basic EPQ model, production setup costs are fixed and independent of the quantity produced. Production is done over finite rate incrementally. In each inventory cycle  $T$  of the model, production is processed until inventory reaches the maximum level  $I_{max}$  in production cycle  $t^p$ , and the stored inventory is then consumed at demand rate  $D$  until it reaches zero in depletion cycle  $t^d$ . The production setup process incurs a fixed cost, denoted by  $A$ , and the inventory produced can be stored at a holding cost per unit time, denoted by  $h$ . The objective is to find the economic production quantity  $Q$  so that the total cost of the inventory system, including setup and holding costs, is minimized. Considering the characteristics of the basic EPQ model, the model parameters are defined as  $T = Q/D$ ,  $t^p = Q/P$ ,  $t^d = Q/D - Q/P$ , and  $I_{max} = Q(1 - D/P)$ . The holding cost per cycle is  $HC = hQ^2(1 - D/P)/(2D)$  and the setup cost per order is  $OC = A$ . The holding and setup costs per unit time can be calculated by dividing  $HC$  and  $OC$  by the inventory cycle  $T$  as  $HCU = HC/T = hQ(1 - D/P)/2$  and  $OC = AD/Q$ . Therefore, the total cost involving holding and setup costs is calculated as  $TCU = hQ(1 - D/P)/2 + AD/Q$ . Therefore, the optimal production quantity and the total cost can be derived by setting the derivative of  $TCU$  to zero as  $Q^* = \sqrt{2AD/(h(1 - D/P))}$  and  $TCU(Q^*) = \sqrt{2ADh(1 - D/P)}$ .

We propose a new production-inventory model for imperfect quality items. The following notations are used to formulate the considered single product imperfect EPQ model:

---

*Notations*

---

$P_1$	Production rate (unit/time)
$D$	Demand rate (unit/time)
$P_2$	Rework rate (unit/time)
$A$	Setup cost (\$/setup)
$h$	Holding cost (\$/unit/time)
$t_p$	Production period (time)
$t_R$	Rework period (time)
$t_D$	Depletion period (time)
$CT$	Inventory cycle time (time)
$\beta$	Percentage of defective items
$\alpha$	Percentage of reworkable defective items
$I_1$	Inventory level at start of rework period (unit)
$I_2$	Inventory level at end of rework period (unit)
$I_{max}$	Maximum inventory level (unit)
$Q$	Economic production quantity (unit)

---

Consider a manufacturing environment in which a manufacturer produces a product to satisfy an external demand  $D$ . The demand is assumed to be constant over the time horizon. The manufacturer produces the product at a finite production rate  $P_1$  under EPQ settings. The model assumes an infinite time horizon and zero lead time. In addition, shortage is not allowed and the purchase cost is fixed. Unlike the standard models, the production process is assumed to be defective and to produce a fraction of imperfect items. The reworkable imperfect items go through the rework process to become perfect and return to the consumption cycle. In general, an inventory cycle is composed of production, reworking, and depletion periods. After the production period, a fraction of defective items ( $\alpha\beta Q$ ) that can be reworked go through a rework process with a rework rate  $P_2$ . At the end of the rework period, the stored inventory is consumed until it reaches zero in the depletion period. The objective is to determine the economic production quantity  $Q$  so that the total cost is minimized. The total cost consists of setup and holding costs. The holding cost is per item per unit time, denoted by  $h$ , while

the setup cost is fixed per production cycle, denoted by  $A$ . Figure 1 shows a cycle of the proposed production-inventory system. As can be seen, production is done at production rate  $P_1$  within production period  $t_p$ . Once the production is finished, the non-reworkable defective items  $(1 - \alpha)\beta Q$  are discarded from the system, and the reworkable items  $\alpha\beta Q$  go through the rework process. During the rework time period  $t_R$ , the imperfect items become perfect at a rate of  $P_2$  and return to the system. At the end of the rework period, the stored inventory is consumed during the depletion period  $t_D$  until it reaches zero. The next cycles repeat this process continuously. To ensure feasibility and prevent shortage, we consider an initial condition as  $I_{max} - \beta Q \geq 0$ . Since  $I_{max} = Q(1 - D/P_1)$ , this condition is simplified as  $(1 - D/P_1) - \beta \geq 0$ . We first formulate this problem for a single product. Then, we extend this basic model to multiple products with various constraints, namely production machine constraint, shortage space constraint, budget constraint, and number of setups constraint.




Fig. 1. Inventory level for joint lot-sizing model

Total cost includes setup and holding costs. In the case of a single product, the setup cost  $SC$  is incurred per production cycle as follows.

$$SC = A \tag{1}$$

Moreover, to formulate the holding cost, we first calculate the area under the inventory level in three periods, namely production period  $A_I$ ,

rework period  $A_{II}$ , and depletion period  $A_{III}$ , as follows.

$$A_I = \frac{I_{max} \cdot t_p}{2} \tag{2}$$

Since  $I_{max} = Q \left(1 - \frac{D}{P_1}\right)$  and  $t_p = \frac{Q}{P_1}$ ,  $A_I$  is rewritten as:

$$A_I = \frac{Q^2}{2P_1} \left(1 - \frac{D}{P_1}\right) \quad (3)$$

Therefore, the area under the inventory level in the rework period is calculated as:

To calculate  $A_{II}$ , we should first formulate the inventory level at the beginning of the rework period  $I_1$  and the inventory level at the end of the rework period  $I_2$ .

$$A_{II} = \frac{t_R}{2} (I_1 + I_2) \quad (7)$$

which can be rewritten as:

$$I_1 = Q \left(1 - \frac{D}{P_1}\right) - \beta Q \quad (4)$$

$$A_{II} = \frac{\alpha\beta Q}{2P_2} \left(2Q \left(1 - \frac{D}{P_1}\right) - 2\beta Q + \alpha\beta Q \left(1 - \frac{D}{P_2}\right)\right) \quad (8)$$

$$I_2 = Q \left(1 - \frac{D}{P_1}\right) - \beta Q + (P_2 - D)t_R \quad (5)$$

In the rework time period  $t_R$ , the reworkable items  $\alpha\beta Q$  go through the rework process. Thus, we can calculate  $t_R$  in terms of the model parameters as  $t_R = \alpha\beta Q/P_2$ . Therefore, the inventory level  $I_2$  can be simplified as follows.

Moreover, the area under the inventory level of the depletion period is formulated as  $A_{III} = I_2 t_D/2$  where the depletion period is  $t_D = I_2/D$ . Hence, we have:

$$A_{III} = \frac{I_2^2}{2D} \quad (9)$$

$$I_2 = Q \left(1 - \frac{D}{P_1}\right) - \beta Q + \alpha\beta Q \left(1 - \frac{D}{P_2}\right) \quad (6)$$

or:

$$A_{III} = \frac{1}{2D} \left\{ Q \left(1 - \frac{D}{P_1}\right) - \beta Q + \alpha\beta Q \left(1 - \frac{D}{P_2}\right) \right\}^2 \quad (10)$$

Using  $A_I$ ,  $A_{II}$  and  $A_{III}$ , the holding cost is formulated by  $h \{A_I + A_{II} + A_{III}\}$  as follows:

$$HC(Q) = hQ^2 \left\{ \frac{G^2}{2D} + \frac{1}{2P_1} \left(1 - \frac{D}{P_1}\right) + \frac{\alpha\beta}{2P_2} \left\{ \left(1 - \frac{D}{P_1}\right) - \beta + G \right\} \right\} \quad (11)$$

where  $G = \left(1 - \frac{D}{P_1}\right) - \beta + \alpha\beta \left(1 - \frac{D}{P_2}\right)$ .

Therefore, the total cost is obtained by  $SC + HC$  as follows.

$$TC(Q) = A + hQ^2 \left\{ \frac{G^2}{2D} + \frac{1}{2P_1} \left(1 - \frac{D}{P_1}\right) + \frac{\alpha\beta}{2P_2} \left\{ \left(1 - \frac{D}{P_1}\right) - \beta + G \right\} \right\} \quad (12)$$

Finally, the total cost per unit time is calculated by dividing  $TC(Q)$  by the cycle time. The cycle time can be obtained by  $CT = t_p + t_R + t_D$  as:

$$CT = \frac{Q}{D} (\beta(\alpha - 1) + 1) \quad (13)$$

Note that if  $0 \leq \alpha \leq 1$  and  $0 \leq \beta \leq 1$ , then we have  $\beta(\alpha - 1) + 1 \geq 0$ . The total cost per unit time is obtained as:

$$TCU(Q) = \frac{AD}{Q(\beta(\alpha-1)+1)} + \frac{hDQ}{\beta(\alpha-1)+1} \left\{ \frac{G^2}{2D} + \frac{1}{2P_1} \left(1 - \frac{D}{P_1}\right) + \frac{\alpha\beta}{2P_2} \left\{ \left(1 - \frac{D}{P_1}\right) - \beta + G \right\} \right\} \quad (14)$$

The derived total cost per unit time  $TCU(Q)$  is a convex function with respect to production quantity  $Q$  as:

$$\frac{\partial^2 TCU(Q)}{\partial Q^2} = \frac{2AD}{Q^3(\beta(\alpha-1)+1)} \geq 0 \quad (15)$$

Therefore, to obtain the economic production quantity  $Q^*$ , we set the first derivative of  $TCU(Q)$  to zero as follows:

$$\frac{\partial TCU(Q)}{\partial Q} = \frac{-AD}{Q^2(\beta(\alpha-1)+1)} + \frac{hD}{(\beta(\alpha-1)+1)} \left\{ \frac{G^2}{2D} + \frac{1}{2P_1} \left(1 - \frac{D}{P_1}\right) + \frac{\alpha\beta}{2P_2} \left\{ \left(1 - \frac{D}{P_1}\right) - \beta + G \right\} \right\} = 0 \quad (16)$$



which yields:

$$Q^* = \sqrt{\frac{2AD}{h \left\{ G^2 + \frac{D}{P_1} \left( 1 - \frac{D}{P_1} \right) + \frac{\alpha\beta D}{P_2} \left\{ \left( 1 - \frac{D}{P_1} \right) - \beta + G \right\} \right\}}} \quad (17)$$

It is noteworthy that the above formula is reduced to the economic production quantity of the standard EPQ model ( $\sqrt{2AD/(h(1 - D/P_1))}$ ) when there is no rework period ( $\beta = 0$ ). This verifies the proposed model.

Most real-world inventory systems stock many products, not merely a single product. It is not practical to evaluate each product individually because there may be interactions between products. For example, there may be only one

production machine, there may be a limit on storage space capacity, there may be an upper limit on maximum budget, or there may be an upper limit on the number of setups. Products compete for these problems. In the sequel, we consider cases where multiple products compete for constraints on machine usage, storage space, budget in inventory, and number of setups. The following notations are used to formulate the given cases.

Notations

$P_{1j}$	Production rate of product $j$ (unit/time)
$D_j$	Demand rate of product $j$ (unit/time)
$P_{2j}$	Rework rate of product $j$ (unit/time)
$A_j$	Setup cost of product $j$ (\$/setup)
$h_j$	Holding cost of product $j$ (\$/unit/time)
$t_{pj}$	Production period of product $j$ (time)
$t_{Rj}$	Rework period of product $j$ (time)
$CT$	Inventory cycle time (time)
$\beta_j$	Percentage of defective items of product $j$
$\alpha_j$	Percentage of reworkable defective items of product $j$
$f_j$	Occupied space of product $j$ ( $m^3$ /unit)
$C_j$	Procurement cost of product $j$ (\$/unit)
$F$	Total available warehouse space ( $m^3$ )
$M$	Total available budget (\$)
$N$	Allowable production setup number
$Q_j$	Economic production quantity of product $j$ (unit)

3. Multiple Products With Machine Capacity Constraint

In this section, we consider that a manufacturer produces multiple products  $j = 1, 2, \dots, N$  over finite production rates  $P_{1j}$  each of which faces external demand  $D_j$ . It is also considered that the production process is defective and produces some imperfect items. The imperfect items are also subject to a rework process at rework rate  $P_{2j}$ . All the characteristics of the products are similar to those of the single product case discussed in Section 2. In addition, there is only one machine, and it is assumed that all products should be produced by this machine. We first derive the possibility condition of production on a single machine. Since the production and rework period of product  $j$  per cycle is calculated by  $t_{pj} + t_{Rj}$ , the summation of total production

and rework times for all products is  $\sum_{j=1}^N (t_{pj} + t_{Rj})$ , which should be smaller or equal to the cycle time  $CT$  to ensure feasibility. Therefore, the machine capacity constraint is:

$$\sum_{j=1}^N (t_{pj} + t_{Rj}) \geq CT \quad (18)$$

By substituting  $t_{pj} = Q_j/P_{1j}$ ,  $t_{Rj} = \alpha_j\beta_j Q_j/P_{2j}$  and  $CT = Q_j(\beta_j(\alpha_j - 1) + 1)/D_j$  into the above inequality and simplifying the result, we have:

$$\sum_{j=1}^N \left\{ \frac{D_j/P_{1j} + \alpha_j\beta_j D_j/P_{2j}}{\beta_j(\alpha_j - 1) + 1} \right\} \leq 1 \quad (19)$$

To obtain the economic production quantities, we should derive the total cost per time in terms of  $CT$ . For this purpose, we substitute the production quantity  $Q_j$  with  $CTD_j/\beta_j(\alpha_j - 1) +$

1 in  $TCU(Q_j)$ , and sum total cost for all products  $j = 1, 2, \dots, N$  as follows:

$$TCU(CT) = \sum_{j=1}^N \left( \frac{A_j}{CT} + \frac{h_j CT D_j^2}{(\beta_j(\alpha_j-1)+1)^2} \left\{ \frac{G_j^2}{2D_j} + \frac{1}{2P_{1j}} \left( 1 - \frac{D_j}{P_{1j}} \right) + \frac{\alpha_j \beta_j}{2P_{2j}} \left\{ \left( 1 - \frac{D_j}{P_{1j}} \right) - \beta_j + G_j \right\} \right\} \right) \quad (20)$$

where  $G_j = \left( 1 - \frac{D_j}{P_{1j}} \right) - \beta_j + \alpha_j \beta_j \left( 1 - \frac{D_j}{P_{2j}} \right)$ .

The derived total cost per unit time  $TCU(CT)$  is a convex function with respect to  $CT$  as:

$$\frac{\partial^2 TCU(CT)}{\partial CT^2} = \sum_{j=1}^N \frac{2A_j}{CT^3} \geq 0 \quad (21)$$

Therefore, to obtain the economic cycle time  $CT^*$ , we set the first derivative of  $TCU(CT)$  to zero as follows:

$$\frac{\partial TCU(CT)}{\partial CT} = \sum_{j=1}^N \left( \frac{-A_j}{CT^2} + \frac{h_j D_j^2}{(\beta_j(\alpha_j-1)+1)^2} \left\{ \frac{G_j^2}{2D_j} + \frac{1}{2P_{1j}} \left( 1 - \frac{D_j}{P_{1j}} \right) + \frac{\alpha_j \beta_j}{2P_{2j}} \left\{ \left( 1 - \frac{D_j}{P_{1j}} \right) - \beta_j + G_j \right\} \right\} \right) = 0 \quad (22)$$

which yields:

$$CT^* = \sqrt{\frac{2 \sum_{j=1}^N A_j}{\sum_{j=1}^N \left( \frac{h_j D_j^2}{(\beta_j(\alpha_j-1)+1)^2} \left\{ \frac{G_j^2}{2D_j} + \frac{1}{2P_{1j}} \left( 1 - \frac{D_j}{P_{1j}} \right) + \frac{\alpha_j \beta_j}{2P_{2j}} \left\{ \left( 1 - \frac{D_j}{P_{1j}} \right) - \beta_j + G_j \right\} \right\} \right)} \quad (23)$$

Then, the economic production quantity for product  $j$  is calculated by  $Q_j^* = \frac{CT^* D_j}{(\beta_j(\alpha_j-1)+1)}$

#### 4. Multiple Products With Storage Space Constraint

Consider a manufacturer that produces multiple products, each of which operates under the conditions discussed in Section 2. However, the space available for storing the inventory is limited, which is a real frequently occurred

assumption in practice. The space occupied by each unit is represented by  $f_j$  and the total available space is denoted by  $F$ . To obtain the economic production quantities, we derive the total cost per unit time in terms of  $Q_1, Q_2, \dots, Q_N$  as follows.

$$TCU(Q_1, Q_2, \dots, Q_N) = \sum_{j=1}^N \left( \frac{A_j D_j}{Q_j(\beta_j(\alpha_j-1)+1)} + \frac{h_j D_j Q_j}{\beta_j(\alpha_j-1)+1} \left\{ \frac{G_j^2}{2D_j} + \frac{1}{2P_{1j}} \left( 1 - \frac{D_j}{P_{1j}} \right) + \frac{\alpha_j \beta_j}{2P_{2j}} \left\{ \left( 1 - \frac{D_j}{P_{1j}} \right) - \beta_j + G_j \right\} \right\} \right) \quad (24)$$

Therefore, the problem is transformed into a constrained optimization problem,  $\min TCU(Q_1, Q_2, \dots, Q_N)$ , subject to  $\sum_{j=1}^N f_j Q_j \left( 1 - \frac{D_j}{P_{1j}} \right) \leq F$ . To solve this problem, the Lagrangian Relaxation (LR) approach can be used. The LR is an analytical approach usually used to solve constrained optimization problems

by relaxing the complicating constraint in the original problem. Consider a general function  $f(X_1, X_2, \dots, X_n)$  to be minimized with a constraint  $g(X_1, X_2, \dots, X_n) \leq B$ . For this case, the LR approach constructs the unconstrained Lagrangian function as:

$$LR(X_1, X_2, \dots, X_n, \lambda) = f(X_1, X_2, \dots, X_n) + \lambda [g(X_1, X_2, \dots, X_n) - b] \quad (25)$$

where  $\lambda$  is the Lagrangian multiplier. Then, the Kuhn-Tucker condition is used to optimize the  $LR(X_1, X_2, \dots, X_n, \lambda)$  as follows.

$$\frac{\partial LR(X_1, X_2, \dots, X_n, \lambda)}{\partial X_j} = \frac{\partial f(X_1, X_2, \dots, X_n)}{\partial X_j} + \lambda \frac{\partial g(X_1, X_2, \dots, X_n)}{\partial X_j} = 0, \quad (26)$$

$$\frac{\partial LR(X_1, X_2, \dots, X_n, \lambda)}{\partial \lambda} = g(X_1, X_2, \dots, X_n) - B = 0 \tag{27}$$

By solving the above system of equations for  $X_j$  and  $\lambda$ , the optimal solution is obtained. For our problem, the Lagrangian function is constructed as follows:

$$LR(Q_1, Q_2, \dots, Q_N) = \sum_{j=1}^N \left( \frac{A_j D_j}{Q_j(\beta_j(\alpha_j-1)+1)} + \frac{h_j D_j Q_j}{\beta_j(\alpha_j-1)+1} \left\{ \frac{G_j^2}{2D_j} + \frac{1}{2P_{1j}} \left( 1 - \frac{D_j}{P_{1j}} \right) + \frac{\alpha_j \beta_j}{2P_{2j}} \left\{ \left( 1 - \frac{D_j}{P_{1j}} \right) - \beta_j + G_j \right\} \right\} \right) + \theta \left( \sum_{j=1}^N f_j Q_j \left( 1 - \frac{D_j}{P_{1j}} \right) - F \right) \tag{28}$$

where  $\theta$  denotes the Lagrangian multiplier. To solve the new unconstrained problem, we set the derivative of  $LR(Q_1, Q_2, \dots, Q_N)$  with respect to  $Q_j$  and  $\theta$  to zero as follows:

$$\frac{\partial LR(TCU(Q_1, Q_2, \dots, Q_N))}{\partial Q_j} = \frac{-A_j D_j}{Q_j^2(\beta_j(\alpha_j-1)+1)} + \frac{h_j D_j}{\beta_j(\alpha_j-1)+1} \left\{ \frac{G_j^2}{2D_j} + \frac{1}{2P_{1j}} \left( 1 - \frac{D_j}{P_{1j}} \right) + \frac{\alpha_j \beta_j}{2P_{2j}} \left\{ \left( 1 - \frac{D_j}{P_{1j}} \right) - \beta_j + G_j \right\} \right\} + \theta f_j \left( 1 - \frac{D_j}{P_{1j}} \right) = 0 \tag{29}$$

And

$$\frac{\partial LR(TCU(Q_1, Q_2, \dots, Q_N))}{\partial \theta} = \sum_{j=1}^N f_j Q_j \left( 1 - \frac{D_j}{P_{1j}} \right) - F = 0 \tag{30}$$

which is simplified as:

$$Q_j^* = \sqrt{\frac{2A_j D_j}{h_j \left\{ G_j^2 + \frac{D_j}{P_{1j}} \left( 1 - \frac{D_j}{P_{1j}} \right) + \frac{\alpha_j \beta_j D_j}{P_{2j}} \left\{ \left( 1 - \frac{D_j}{P_{1j}} \right) - \beta_j + G_j \right\} \right\} + 2\theta f_j D_j (\beta_j(\alpha_j-1)+1) \left( 1 - \frac{D_j}{P_{1j}} \right)}} \tag{31}$$

$$\sum_{j=1}^N \left\{ f_j \sqrt{\frac{2A_j D_j}{h_j \left\{ G_j^2 + \frac{D_j}{P_{1j}} \left( 1 - \frac{D_j}{P_{1j}} \right) + \frac{\alpha_j \beta_j D_j}{P_{2j}} \left\{ \left( 1 - \frac{D_j}{P_{1j}} \right) - \beta_j + G_j \right\} \right\} + 2\theta f_j D_j (\beta_j(\alpha_j-1)+1) \left( 1 - \frac{D_j}{P_{1j}} \right)} \left( 1 - \frac{D_j}{P_{1j}} \right) \right\} = F \tag{32}$$

We first obtain the optimal value of  $\theta$  from Eq. (32), and it is then substituted into Eq. (31) to calculate the economic production quantity  $Q_j$  ( $j = 1, 2, \dots, N$ ).

### 5. Multiple Products With Budget Constraint

In real-world situations, the budget available to invest in the inventory is limited. In this section, we consider a manufacturer that operates with

multiple products under EPQ with imperfect quality and rework, which have a limited amount of budget  $M$  to invest in inventories. Therefore, the problem is formulated as a constrained optimization problem as  $\min TCU(Q_1, Q_2, \dots, Q_N)$  subject to  $\sum_{j=1}^N C_j Q_j \left( 1 - \frac{D_j}{P_{1j}} \right) \leq M$ , where  $C_j$  is the unit purchase price of product  $j$ . The Lagrangian function is constructed for this case as follows:

$$LR(Q_1, Q_2, \dots, Q_N) = \sum_{j=1}^N \left( \frac{A_j D_j}{Q_j(\beta_j(\alpha_j-1)+1)} + \frac{h_j D_j Q_j}{\beta_j(\alpha_j-1)+1} \left\{ \frac{G_j^2}{2D_j} + \frac{1}{2P_{1j}} \left( 1 - \frac{D_j}{P_{1j}} \right) + \frac{\alpha_j \beta_j}{2P_{2j}} \left\{ \left( 1 - \frac{D_j}{P_{1j}} \right) - \beta_j + G_j \right\} \right\} \right) + \varphi \left( \sum_{j=1}^N C_j Q_j \left( 1 - \frac{D_j}{P_{1j}} \right) - M \right) \tag{33}$$

where  $\varphi$  denotes the Lagrangian multiplier. To solve this unconstrained problem, we set the derivative of  $LR(Q_1, Q_2, \dots, Q_N)$  with respect to  $Q_j$  and  $\varphi$  to zero as follows:

$$\frac{\partial LR(TCU(Q_1, Q_2, \dots, Q_N))}{\partial Q_j} = \frac{-A_j D_j}{Q_j^2 (\beta_j (\alpha_j - 1) + 1)} + \frac{h_j D_j}{\beta_j (\alpha_j - 1) + 1} \left\{ \frac{G_j^2}{2D_j} + \frac{1}{2P_{1j}} \left( 1 - \frac{D_j}{P_{1j}} \right) + \frac{\alpha_j \beta_j}{2P_{2j}} \left\{ \left( 1 - \frac{D_j}{P_{1j}} \right) - \beta_j + G_j \right\} \right\} + \varphi C_j \left( 1 - \frac{D_j}{P_{1j}} \right) = 0 \tag{34}$$

And

$$\frac{\partial LR(TCU(Q_1, Q_2, \dots, Q_N))}{\partial \varphi} = \sum_{j=1}^N C_j Q_j \left( 1 - \frac{D_j}{P_{1j}} \right) - M = 0 \tag{35}$$

which yields:

$$Q_j^* = \sqrt{\frac{2A_j D_j}{h_j \left\{ G_j^2 + \frac{D_j}{P_{1j}} \left( 1 - \frac{D_j}{P_{1j}} \right) + \frac{\alpha_j \beta_j D_j}{P_{2j}} \left\{ \left( 1 - \frac{D_j}{P_{1j}} \right) - \beta_j + G_j \right\} \right\} + 2\varphi C_j D_j (\beta_j (\alpha_j - 1) + 1) \left( 1 - \frac{D_j}{P_{1j}} \right)} \tag{36}$$

$$\sum_{j=1}^N \left\{ C_j \sqrt{\frac{2A_j D_j}{h_j \left\{ G_j^2 + \frac{D_j}{P_{1j}} \left( 1 - \frac{D_j}{P_{1j}} \right) + \frac{\alpha_j \beta_j D_j}{P_{2j}} \left\{ \left( 1 - \frac{D_j}{P_{1j}} \right) - \beta_j + G_j \right\} \right\} + 2\varphi C_j D_j (\beta_j (\alpha_j - 1) + 1) \left( 1 - \frac{D_j}{P_{1j}} \right)} \right\} = M \tag{37}$$

The optimal value of  $\varphi$  is obtained from Eq. (23), and it is then substituted into Eq. (22) to calculate the economic production quantity  $Q_j (j = 1, 2, \dots, N)$ .

### 6. Multiple Products With Number of Setups Constraint

In this section, we consider an upper bound for the number of setups carried out per time unit  $L$ . The problem is formulated as a constrained optimization problem as  $\min TCU(Q_1, Q_2, \dots, Q_N)$  subject to  $\sum_{j=1}^N \frac{D_j}{Q_j (\beta_j (\alpha_j - 1) + 1)} \leq N$ . The Lagrangian function is constructed for this case as follows:

$$LR(Q_1, Q_2, \dots, Q_N) = \sum_{j=1}^N \left( \frac{A_j D_j}{Q_j (\beta_j (\alpha_j - 1) + 1)} + \frac{h_j D_j Q_j}{\beta_j (\alpha_j - 1) + 1} \left\{ \frac{G_j^2}{2D_j} + \frac{1}{2P_{1j}} \left( 1 - \frac{D_j}{P_{1j}} \right) + \frac{\alpha_j \beta_j}{2P_{2j}} \left\{ \left( 1 - \frac{D_j}{P_{1j}} \right) - \beta_j + G_j \right\} \right\} \right) + \tau \left( \sum_{j=1}^N \frac{D_j}{Q_j (\beta_j (\alpha_j - 1) + 1)} - L \right) \tag{38}$$

where  $\varphi$  denotes the Lagrangian multiplier. We set the derivative of  $LR(Q_1, Q_2, \dots, Q_N)$  with respect to  $Q_j$  and  $\tau$  to zero as follows:

$$\frac{\partial LR(TCU(Q_1, Q_2, \dots, Q_N))}{\partial Q_j} = \frac{-A_j D_j}{Q_j^2 (\beta_j (\alpha_j - 1) + 1)} + \frac{h_j D_j}{\beta_j (\alpha_j - 1) + 1} \left\{ \frac{G_j^2}{2D_j} + \frac{1}{2P_{1j}} \left( 1 - \frac{D_j}{P_{1j}} \right) + \frac{\alpha_j \beta_j}{2P_{2j}} \left\{ \left( 1 - \frac{D_j}{P_{1j}} \right) - \beta_j + G_j \right\} \right\} - \frac{\tau}{Q_j^2} \cdot \frac{D_j}{\beta_j (\alpha_j - 1) + 1} = 0 \tag{39}$$

And

$$\frac{\partial LR(TCU(Q_1, Q_2, \dots, Q_N))}{\partial \tau} = \sum_{j=1}^N \frac{D_j}{Q_j (\beta_j (\alpha_j - 1) + 1)} - L = 0 \tag{40}$$

which yields:

$$Q_j^* = \sqrt{\frac{2(A_j + \tau) D_j}{h_j \left\{ G_j^2 + \frac{D_j}{P_{1j}} \left( 1 - \frac{D_j}{P_{1j}} \right) + \frac{\alpha_j \beta_j D_j}{P_{2j}} \left\{ \left( 1 - \frac{D_j}{P_{1j}} \right) - \beta_j + G_j \right\} \right\}} \tag{41}$$

$$\sum_{j=1}^N \left\{ \frac{D_j}{\beta_j(\alpha_j-1)+1} \sqrt{\frac{h_j \left\{ G_j^2 + \frac{D_j}{P_{1j}} \left( 1 - \frac{D_j}{P_{1j}} \right) + \frac{\alpha_j \beta_j D_j}{P_{2j}} \left( \left( 1 - \frac{D_j}{P_{1j}} \right) - \beta_j + G_j \right) \right\}}{2(A_j + \tau)D_j}} \right\} = L \tag{42}$$

The optimal value of  $\tau$  is obtained from Eq. (41), and it is then substituted into Eq. (42) to calculate the economic production quantity  $Q_j (j = 1, 2, \dots, N)$ .

**7. Illustrative Example**

To investigate the performance of the proposed EPQ models, a numerical example is used and

discussed in this section with three products ( $N = 3$ ). Table 2 shows the demand rates, production rates, rework rates, setup costs, holding costs, rate of imperfect products, rate of reworkable items, occupied space, purchasing cost, total available budget, total available budget, and total number of allowed setups for the three products.

**Tab. 2. Specifications of numerical example**

	$D_j$	$P_{1j}$	$P_{2j}$	$A_j$	$h_j$	$\beta_j$	$\alpha_j$	$f_j$	$C_j$	$F$	$M$	$L$
$j = 1$	1000	6500	8500	150	10	0.15	0.8	1	50			
Product $j = 2$	3000	7000	9000	250	8	0.2	0.7	2	25	500	5000	12
$j = 3$	2000	8500	10000	200	12	0.1	0.9	1	75			

Before calculating the solutions, we first investigate the feasibility conditions for the three products. To this end, we evaluated three conditions: (i)  $P_{1j} > D_j$ , (ii)  $P_{2j} > D_j$ , and (iii)  $(1 - D_j/P_{1j}) - \beta_j \geq 0$  and concluded that the feasibility condition is met. For the case with a single machine constraint, we evaluated the

possibility condition for producing three products on one machine, i.e.,  $\sum_{j=1}^N \left\{ \frac{D_j/P_{1j} + \alpha_j \beta_j D_j/P_{2j}}{\beta_j(\alpha_j-1)+1} \right\} \leq 1$  and ensured that the model is feasible for this case. Table 3 presents the optimal results of the models for the numerical example considered.

**Tab. 3. Optimal results of numerical example**

		Unconstrained multi-product EPQ	Multi-product EPQ under single machine constraint	Multi-product EPQ under storage space constraint	Multi-product EPQ under budget constraint	Multi-product EPQ under number of setups constraint
Optimal production quantity	$Q_1^*$	194.31	177.84	138.77	37.94	300.81
	$Q_2^*$	612.42	550.53	210.12	86.42	830.26
	$Q_3^*$	298.56	348.48	186.27	37.67	427.21
Optimal total cost	$TCU_1^*$	1591.7	1597.9	1682.75	4231.68	1746.13
	$TCU_2^*$	2605.6	2620.4	4244.19	9416.03	2727.24
	$TCU_3^*$	2706.6	2739.0	3013.41	10896.98	2882.17
Optimal Lagrangian multiplier		–	–	$\theta^* = 0.0046$	$\varphi^* = 0.0024$	$\tau^* = 209.4879$

As we expected, the optimal cost is larger in the single machine model than in the multi-product model without machine constraint. This reveals that machine capacity is an active constraint in this example. The optimal costs in all other constrained cases are larger than those of the multi-product unconstrained case, because the constraints  $F = 500$ ,  $M = 5000$  and  $L = 12$  are active. Moreover, as we expected, the economic production quantities in the models with space and budget constraint become smaller than those of the unconstrained case, while they increase in the model with a constraint on the number of

setups. This is due to the inherent nature of the constraints.

**8. Sensitivity Analysis**

In this section, we perform a sensitivity analysis by changing the value of the input parameters to assess the behavior of the optimal total cost of all proposed models. The impact of six parameters on each model is studied, of which the related parameters of the defective items ( $\alpha$ ,  $\beta$  and  $P_2$ ) and the demand rate of the system are constant. The parameters vary in the range of  $-50\%$  to  $+50\%$ , and the behavior of the objective function

is reported in both the percentage change and the output value.


**8.1. Sensitivity analysis of unconstrained multi-product EPQ**

The sensitivity analysis of the unconstrained multi-product EPQ is performed by varying six parameters of the models, and the results are presented in Table 4. As can be seen, the model is


more sensitive to inventory holding cost, production rate, and demand rate. Figure 2 shows that when the parameters increase, the total cost of the system increases. Figure 3 shows that when the rework rate increases, better performance of the system is achieved and an increase in the percentage of defective items and reworkable items results in less cost to the inventory system.

**Tab. 4. Sensitivity of optimal total cost in unconstrained multi-product EPQ model**

parameter	Parameter											
	$h_j$		$P_{1j}$		$P_{2j}$		$D$		$\beta_j$		$\alpha_j$	
% Change in	Total cost	%Change	Total cost	%Change	Total cost	%Change	Total cost	%Change	Total cost	%Change	Total cost	%Change
-50%	4881.80	-29.289%	-*	-	6882.20	-0.314%	5400.54	-21.775%	6917.20	+0.192%	6939.80	+0.520%
-40%	5347.75	-22.540%	5741.50	-16.837%	6889.45	-0.209%	5807.82	-15.876%	6915.32	+0.165%	6931.52	+0.400%
-30%	5776.23	-16.334%	6193.21	-10.294%	6894.62	-0.134%	6153.61	-10.867%	6913.06	+0.133%	6923.83	+0.289%
-20%	6175.05	-10.557%	6502.34	-5.817%	6898.50	-0.078%	6447.54	-6.610%	6910.42	+0.094%	6916.69	+0.185%
-10%	6549.63	-5.132%	6729.38	-2.528%	6901.51	-0.034%	6696.12	-3.009%	6907.37	+0.050%	6910.06	+0.089%
0	6903.91	0	6903.91	0	6903.91	0	6903.91	0	6903.91	0	6903.91	0
+10%	7240.88	+4.881%	7042.56	+2.008%	6905.88	+0.028%	7074.07	+2.464%	6900.02	-0.056%	6898.22	-0.082%
+20%	7562.86	+9.545%	7155.50	+3.644%	6907.52	+0.052%	7208.74	+4.415%	6895.69	-0.119%	6892.94	-0.159%
+30%	7871.67	+14.018%	7249.34	+5.003%	6908.91	+0.072%	7309.25	+5.871%	6890.90	-0.188%	6888.06	-0.230%
+40%	8168.82	+18.322%	7328.59	+6.151%	6910.09	+0.089%	7376.19	+6.840%	6885.64	-0.265%	6883.55	-0.295%
+50%	8455.53	+22.475%	7396.43	+7.134%	6911.12	+0.104%	7409.44	+7.322%	6879.89	-0.348%	6879.38	-0.355%



**Fig. 2. Sensitivity of unconstrained multi-product EPQ model to  $h, P_1$  and  $D$**



**Fig. 3. Sensitivity of unconstrained multi-product EPQ model to  $P_2, \alpha$  and  $\beta$**

\* The model is infeasible in this value


**8.2. Sensitivity analysis of multi-product EPQ with machine capacity constraint**

The model's behavior is assessed by varying some input parameters, and the results are summarized in Table 5. For the feasible values of  $P_1$  and  $D$ , as shown in Figure 4, there is an increasing trend in total cost as the parameters increase. Increasing the inventory holding cost


also leads to worse solutions. Like the unconstrained model, the inventory system has better performance under the increase in the percentage of defective and reworkable defective items. Increasing the rework rate of defective items has a negative effect on the total cost. The related results are shown in Figure 5.

**Tab. 5. Sensitivity of optimal total cost in multi-product EPQ model with machine capacity constraint**

% Change in parameter	Parameter											
	$h_j$		$P_{1j}$		$P_{2j}$		$D$		$\beta_j$		$\alpha_j$	
	Total cost	% Change	Total cost	% Change	Total cost	% Change	Total cost	% Change	Total cost	% Change	Total cost	% Change
-50%	4919.61	-29.289%	-	-	-	-	5431.51	-21.932%	6969.93	+0.180%	6990.69	+0.479%
-40%	5389.16	-22.540%	-	-	6943.85	-0.194%	5842.07	-16.031%	6968.15	+0.155%	6983.00	+0.368%
-30%	5820.96	-16.334%	-	-	6948.68	-0.125%	6191.49	-11.008%	6966.02	+0.124%	6975.86	+0.266%
-20%	6222.87	-10.557%	-	-	6952.31	-0.073%	6489.63	-6.723%	6963.52	+0.088%	6969.23	+0.170%
-10%	6600.35	-5.132%	-	-	6955.12	-0.032%	6743.30	-3.077%	6960.64	+0.047%	6963.08	+0.082%
0	6957.38	0	6957.38	0	6957.38	0	6957.38	0	6957.38	0	6957.38	0
+10%	7296.96	+4.881%	7092.69	+1.945%	6959.22	+0.026%	-	-	6953.71	-0.053%	6952.09	-0.076%
+20%	7621.43	+9.545%	7203.51	+3.538%	6960.76	+0.049%	-	-	6949.64	-0.111%	6947.20	-0.146%
+30%	7932.63	+14.017%	7295.97	+4.867%	6962.06	+0.067%	-	-	6945.13	-0.176%	6942.67	-0.211%
+40%	8232.08	+18.322%	7374.29	+5.992%	6963.17	+0.083%	-	-	6940.19	-0.247%	6938.48	-0.272%
+50%	8521.01	+22.474%	7441.51	+6.959%	6964.13	+0.097%	-	-	6934.79	-0.325%	6934.62	-0.327%



**Fig. 4. Sensitivity of multi-product EPQ model with machine capacity constraint to  $h$ ,  $P_1$  and  $D$**



**Fig. 5. Sensitivity of multi-product EPQ model with machine capacity constraint to  $P_2$ ,  $\alpha$  and  $\beta$**


**8.3. Sensitivity analysis of multi-product EPQ with storage space constraint**

The occupied space of the products and the total available storage space are two unique parameters of this model. We investigated the impact of  $f_j$ ,  $F$  and  $D$  along with the parameters related to imperfect items, and the results are given in Table 6. It can be concluded that the increase in the warehouse's total available space reduces the total cost imposed on the inventory system. Figures 6 and 7 illustrate the analyses


schematically. On the other hand, the total cost generally increases when the demand rate and the occupied space of each product increase. Interestingly, the total cost in this model shows an unfavorable behavior when the percentage of defective items and reworkable items increases. While producing more defective items causes an increase in the total cost of the system, lower costs are expected when a larger percentage of defective items can be reworked.

**Tab. 6. Sensitivity of optimal total cost in multi-product EPQ model with storage space constraint**

% Change in parameter	Parameter											
	$f_j$		$F$		$P_{2j}$		$D$		$\beta_j$		$\alpha_j$	
	Total cost	%Change	Total cost	%Change	Total cost	%Change	Total cost	%Change	Total cost	%Change	Total cost	%Change
-50%	6926.17	-22.529%	15438.95	+72.688%	8931.52	-0.099%	6170.85	-30.978%	8828.80	-1.248%	9349.01	+4.571%
-40%	7121.47	-20.345%	13161.57	+47.215%	8934.46	-0.066%	6870.73	-23.149%	8850.83	-1.001%	9261.50	+3.592%
-30%	7459.57	-16.563%	11582.13	+29.549%	8936.52	-0.043%	7498.23	-16.130%	8872.96	-0.754%	9176.98	+2.647%
-20%	7893.46	-11.710%	10439.28	+16.766%	8938.13	-0.025%	8052.76	-9.928%	8895.27	-0.504%	9095.36	+1.734%
-10%	8393.45	-6.117%	9587.75	+7.241%	8939.33	-0.011%	8533.76	-4.548%	8917.79	-0.252%	9016.58	+0.853%
0	8940.35	0	8940.35	0	8940.35	0	8940.35	0	8940.35	0	8940.35	0
+10%	9521.47	+6.500%	8441.46	-5.580%	8941.18	+0.009%	9271.73	+3.707%	8963.09	+0.254%	8866.70	-0.824%
+20%	10128.23	+13.287%	8053.90	-9.915%	8941.81	+0.016%	9526.85	+6.560%	8985.98	+0.510%	8795.49	-1.620%
+30%	10754.63	+20.293%	7751.79	-13.294%	8942.35	+0.022%	9704.33	+8.545%	9008.99	+0.768%	8726.61	-2.391%
+40%	11396.41	+27.472%	7516.53	-15.926%	8942.86	+0.028%	9802.56	+9.644%	9032.19	+1.027%	8660.03	-3.135%
+50%	12050.43	+34.787%	7334.35	-17.964%	8943.31	+0.033%	9819.70	+9.836%	9055.55	+1.289%	8595.63	-3.856%



**Fig. 6. Sensitivity of multi-product EPQ model with storage space constraint to  $f_j$ ,  $F$  and  $D$**



**Fig. 7. Sensitivity of multi-product EPQ model with storage space constraint to  $P_2$ ,  $\alpha$  and  $\beta$**




**8.4. Sensitivity analysis of multi-product EPQ with budget constraint**

As shown in Figure 8, the violation of the total available budget indicates that the model's objective function yields lower costs when management has access to more financial resources, and the multi-product imperfect EPQ performs better when the purchase price of


products and the demand rate are low. Figure 9 shows the behavior of the related parameters of the defective items. Although producing a batch with more defective items leads to higher costs, the presence of more reworkable products reduces the total inventory cost. All the results are presented in Table 7.

**Tab. 7. Sensitivity of optimal total cost in multi-product EPQ model with budget constraint**

% Change in parameter	Parameter											
	$C_j$		$M$		$P_{2j}$		$D$		$\beta_j$		$\alpha_j$	
	Total cost	%Change	Total cost	%Change	Total cost	%Change	Total cost	%Change	Total cost	%Change	Total cost	%Change
-50%	12988.26	-47.083%	48377.16	+97.098%	24541.31	-0.014%	14989.20	-38.931%	24176.47	-1.500%	26024.01	+6.027%
-40%	15235.07	-37.929%	40401.27	+64.603%	24542.43	-0.009%	17301.29	-29.511%	24248.92	-1.205%	25712.65	+4.759%
-30%	17528.09	-28.587%	34717.79	+41.447%	24543.22	-0.006%	19414.66	-20.901%	24321.94	-0.908%	25409.33	+3.523%
-20%	19849.81	-19.128%	30467.08	+24.129%	24543.84	-0.003%	21327.67	-13.107%	24395.58	-0.608%	25113.77	+2.319%
-10%	22190.60	-9.591%	27171.56	+10.702%	24544.30	-0.002%	23038.45	-6.137%	24469.85	-0.305%	24825.67	+1.145%
0	24544.69	0	24544.69	0	24544.69	0	24544.69	0	24544.69	0	24544.69	0
+10%	26908.44	+9.630%	22404.12	-8.721%	24545.00	+0.001%	25843.67	+5.292%	24620.17	+0.308%	24270.62	-1.117%
+20%	29279.42	+19.290%	20628.30	-15.956%	24545.25	+0.002%	26932.03	+9.727%	24696.28	+0.618%	24003.19	-2.206%
+30%	31655.96	+28.973%	19133.06	-22.048%	24545.46	+0.003%	27805.57	+13.285%	24773.03	+0.930%	23742.15	-3.270%
+40%	34036.86	+38.673%	17858.29	-27.242%	24545.65	+0.004%	28459.02	+15.948%	24850.44	+1.246%	23487.30	-4.308%
+50%	36421.25	+48.387%	16759.92	-31.717%	24545.83	+0.005%	28885.61	+17.686%	24928.52	+1.564%	23238.41	-5.322%



**Fig. 8. Sensitivity of multi-product EPQ model with budget constraint to  $c_j$ ,  $M$  and  $D$**



**Fig. 9. Sensitivity of multi-product EPQ model with budget constraint to  $P_2$ ,  $\alpha$  and  $\beta$**


**8.5. Sensitivity analysis of multi-product EPQ with number of setups constraint**

Finally, Table 8 presents the results of the sensitivity analysis of the multi-product EPQ with a constraint on the number of setups. From Figure 10, we can conclude that there is a negative correlation between the total cost and the upper bound on the number of setups. The


model's total cost increases when there is a higher demand for products, or holding cost of items has an increasing trend. If the rework rate decreases or the percentage of defective items and reworkable items increases (see Figure 11), the total cost decreases, and the production-inventory system performs better.

**Tab. 8. Sensitivity of optimal total cost in multi-product EPQ model with number of setups constraint**

% Change in parameter	Parameter											
	$h_j$		$L$		$P_{2j}$		$D$		$\beta_j$		$\alpha_j$	
	Total cost	%Change	Total cost	%Change	Total cost	%Change	Total cost	%Change	Total cost	%Change	Total cost	%Change
-50%	4882.59	-33.620%	11067.31	+50.462%	7325.58	-0.407%	5432.21	-26.148%	7373.96	+0.251%	7405.04	+0.673%
-40%	5378.67	-26.876%	9863.34	+34.094%	7335.60	-0.271%	5903.63	-19.739%	7371.33	+0.215%	7393.58	+0.517%
-30%	5873.69	-20.146%	9010.79	+22.504%	7342.76	-0.174%	6331.85	-13.917%	7368.26	+0.173%	7383.03	+0.374%
-20%	6368.04	-13.425%	7937.75	+7.915%	7348.05	-0.102%	6716.84	-8.683%	7364.58	+0.123%	7373.16	+0.240%
-10%	6861.94	-6.710%	7602.10	+3.352%	7352.25	-0.045%	7058.17	-4.043%	7360.27	+0.064%	7363.94	+0.114%
0	7355.53	0	7355.53	0	7355.53	0	7355.53	0	7355.53	0	7355.53	0
+10%	7848.90	+6.707%	7177.37	-2.422%	7358.20	+0.036%	7608.16	+3.435%	7350.14	-0.073%	7347.68	-0.107%
+20%	8342.10	+13.413%	7052.80	-4.116%	7360.49	+0.067%	7815.29	+6.251%	7344.13	-0.155%	7340.40	-0.206%
+30%	8835.17	+20.116%	6923.73	-5.870%	7362.46	+0.094%	7976.08	+8.437%	7337.57	-0.244%	7333.75	-0.296%
+40%	9328.14	+26.818%	6904.82	-6.127%	7364.06	+0.116%	8089.20	+9.974%	7330.29	-0.343%	7327.53	-0.381%
+50%	9821.03	+33.519%	6909.38	-6.066%	7365.45	+0.135%	8152.68	+10.837%	7322.34	-0.451%	7321.78	-0.459%



**Fig. 10. Sensitivity of multi-product EPQ model with number of setups constraint to  $h$ ,  $L$  and  $D$**



**Fig. 11. Sensitivity of multi-product EPQ model with number of setups constraint to  $P_2$ ,  $\alpha$  and  $\beta$**

### 9. Conclusion

This paper proposes new constrained production-inventory models for multiple products where the manufacturing process is defective and produces a fraction of imperfect items. The imperfect products go through the rework process to become perfect and return to the consumption cycle. The objective is to determine economic production quantities so that the total cost of the system is minimized. Initially, a basic model with a single product is developed. The feasibility condition is also derived for this case. Then, multi-product constrained models are presented as extensions of the basic model to multi-product cases. The closed-form analytical solutions are derived separately for each case, and a numerical example is presented to illustrate and discuss the procedure. The results reveal that the holding and setup costs are the same in the optimal solution of the basic model. It is also observed that the presence of the active constraint causes a decrease in the optimal production quantities for the cases with the space and budget constraints and leads to an increase in the optimal quantities for the case with the constraint on the number of setups. A sensitivity analysis is performed for all the proposed models to study the behavior of the total cost in case of violating some parameters of the production-inventory system.

This work can be extended in several directions. A reasonable suggestion for future research is to adapt the models for a more general case where shortage (backorder or lost sale) is allowed. Moreover, it is interesting to include uncertain parameters, such as demand and defective rates, in the proposed models. As future extensions of this work, one can consider the learning effect of inspecting imperfect items or the quantity discount in purchasing.

### References

[1] A. Fallahi, M. Azimi-Dastgerdi, and H. Mokhtari, "A Sustainable Production-Inventory Model Joint with Preventive Maintenance and Multiple Shipments for Imperfect Quality Items," *Scientia Iranica*, (2021).

[2] A. H. Nobil, A. H. A. Sedigh, and L. E. Cárdenas-Barrón, "A multiproduct single machine economic production quantity (EPQ) inventory model with discrete delivery order, joint production policy and budget constraints," *Annals of*

*Operations Research*, Vol. 286, No. 1, (2020), pp. 265-301.

[3] M. Salameh and M. Jaber, "Economic production quantity model for items with imperfect quality," *International journal of production economics*, Vol. 64, No. 1-3, (2000), pp. 59-64.

[4] M. Khan, M. Jaber, A. Guiffrida, and S. Zolfaghari, "A review of the extensions of a modified EOQ model for imperfect quality items," *International Journal of Production Economics*, Vol. 132, No. 1, (2011), pp. 1-12.

[5] H. Mokhtari and J. Asadkhani, "Economic Order Quantity for Imperfect Quality Items under Inspection Errors, Batch Replacement and Multiple Sales of Returned Items," *Scientia Iranica*, (2019).

[6] H. Mokhtari and J. Asadkhani, "Extended economic production quantity models with preventive maintenance," *Scientia Iranica*, Vol. 27, No. 6, (2020), pp. 3253-3264.

[7] H. Mokhtari, "A joint internal production and external supplier order lot size optimization under defective manufacturing and rework," *The International Journal of Advanced Manufacturing Technology*, Vol. 95, No. 1-4, (2018), pp. 1039-1058.

[8] A. Shawky and M. Abou-El-Ata, "Constrained production lot-size model with trade-credit policy: A comparison geometric programming approach via Lagrange," *Production Planning & Control*, Vol. 12, No. 7, (2001), pp. 654-659.

[9] M. Ben-Daya and A. Rahim, "Optimal lot-sizing, quality improvement and inspection errors for multistage production systems," *International Journal of Production Research*, Vol. 41, No. 1, (2003), pp. 65-79.

[10] A. Jamal, B. R. Sarker, and S. Mondal, "Optimal manufacturing batch size with

- rework process at a single-stage production system," *Computers & industrial engineering*, Vol. 47, No. 1, (2004), pp. 77-89.
- [11] M. Ben-Daya, S. M. Noman, and M. Hariga, "Integrated inventory control and inspection policies with deterministic demand," *Computers & operations research*, Vol. 33, No. 6, (2006), pp. 1625-1638.
- [12] J. Teng and H. Yang, "Deterministic inventory lot-size models with time-varying demand and cost under generalized holding costs," *International journal of information and management sciences*, Vol. 18, No. 2, (2007), p. 113.
- [13] D. Ojha, B. Sarker, and P. Biswas, "An optimal batch size for an imperfect production system with quality assurance and rework," *International Journal of Production Research*, Vol. 45, No. 14, (2007), pp. 3191-3214.
- [14] R. Jans and Z. Degraeve, "Modeling industrial lot sizing problems: a review," *International Journal of Production Research*, Vol. 46, No. 6, (2008), pp. 1619-1643.
- [15] P. Biswas and B. R. Sarker, "Optimal batch quantity models for a lean production system with in-cycle rework and scrap," *International Journal of Production Research*, Vol. 46, No. 23, (2008), pp. 6585-6610.
- [16] B. R. Sarker, A. Jamal, and S. Mondal, "Optimal batch sizing in a multi-stage production system with rework consideration," *European Journal of Operational Research*, Vol. 184, No. 3, (2008), pp. 915-929.
- [17] L. E. Cárdenas-Barrón, "Economic production quantity with rework process at a single-stage manufacturing system with planned backorders," *Computers & Industrial Engineering*, Vol. 57, No. 3, (2009), pp. 1105-1113.
- [18] T.-Y. Lin, "An economic order quantity with imperfect quality and quantity discounts," *Applied Mathematical Modelling*, Vol. 34, No. 10, (2010), pp. 3158-3165.
- [19] M. R. Barzoki, M. Jahanbazi, and M. Bijari, "Effects of imperfect products on lot sizing with work in process inventory," *Applied Mathematics and Computation*, Vol. 217, No. 21, (2011), pp. 8328-8336.
- [20] H. M. Wee and G. A. Widyadana, "Economic production quantity models for deteriorating items with rework and stochastic preventive maintenance time," *International Journal of Production Research*, vol. 50, no. 11, pp. 2940-2952, 2012.
- [21] S. H. Yoo, D. Kim, and M.-S. Park, "Inventory models for imperfect production and inspection processes with various inspection options under one-time and continuous improvement investment," *Computers & Operations Research*, Vol. 39, No. 9, (2012), pp. 2001-2015.
- [22] H.-M. Wee, W.-T. Wang, and P.-C. Yang, "A production quantity model for imperfect quality items with shortage and screening constraint," *International Journal of Production Research*, Vol. 51, No. 6, (2013), pp. 1869-1884.
- [23] C. Krishnamoorthi and S. Panayappan, "An EPQ model with imperfect production systems with rework of regular production and sales return," (2012).
- [24] M. Ameli, A. Mirzazadeh, and M. Shirazi, "Entropic Economic Order Quantity Model for Items with Imperfect Quality Considering Constant Rate of Deterioration under Fuzzy Inflationary Conditions," (in eng), *International Journal of Industrial Engineering & Production Research*, Research Vol. 24, No. 1, (2013), pp. 91-99. [Online]. Available: <http://ijiepr.iust.ac.ir/article-1-315-en.html>

- [25] B. Sarkar, H. Gupta, K. Chaudhuri, and S. K. Goyal, "An integrated inventory model with variable lead time, defective units and delay in payments," *Applied Mathematics and Computation*, Vol. 237, (2014), pp. 650-658.
- [26] M. Y. Jaber, S. Zanoni, and L. E. Zavanella, "Economic order quantity models for imperfect items with buy and repair options," *International Journal of Production Economics*, Vol. 155, (2014), pp. 126-131.
- [27] Z. Hauck and J. Vörös, "Lot sizing in case of defective items with investments to increase the speed of quality control," *Omega*, Vol. 52, (2015), pp. 180-189.
- [28] R. S. Kumar and A. Goswami, "A fuzzy random EPQ model for imperfect quality items with possibility and necessity constraints," *Applied Soft Computing*, Vol. 34, (2015), pp. 838-850.
- [29] M. Al-Salamah, "Economic production quantity in batch manufacturing with imperfect quality, imperfect inspection, and destructive and non-destructive acceptance sampling in a two-tier market," *Computers & Industrial Engineering*, Vol. 93, (2016), pp. 275-285.
- [30] J. Rezaei, "Economic order quantity and sampling inspection plans for imperfect items," *Computers & Industrial Engineering*, Vol. 96, (2016), pp. 1-7.
- [31] G. C. Mahata, "A production-inventory model with imperfect production process and partial backlogging under learning considerations in fuzzy random environments," *Journal of intelligent Manufacturing*, Vol. 28, No. 4, (2017), pp. 883-897.
- [32] A. Aslani, A. A. Taleizadeh, and S. Zanoni, "An EOQ model with partial backordering with regard to random yield: two strategies to improve mean and variance of the yield," *Computers & Industrial Engineering*, Vol. 112, (2017), pp. 379-390.
- [33] A. K. Manna, J. K. Dey, and S. K. Mondal, "Imperfect production inventory model with production rate dependent defective rate and advertisement dependent demand," *Computers & Industrial Engineering*, Vol. 104, (2017), pp. 9-22.
- [34] N. Kazemi, S. H. Abdul-Rashid, R. A. R. Ghazilla, E. Shekarian, and S. Zanoni, "Economic order quantity models for items with imperfect quality and emission considerations," *International Journal of Systems Science: Operations & Logistics*, Vol. 5, No. 2, (2018), pp. 99-115.
- [35] M. Sebatjane and O. Adetunji, "Economic order quantity model for growing items with imperfect quality," *Operations Research Perspectives*, Vol. 6, (2019), p. 100088.
- [36] A. H. Nobil, A. H. A. Sedigh, and L. E. Cárdenas-Barrón, "Reorder point for the EOQ inventory model with imperfect quality items," *Ain Shams Engineering Journal*, (2020).
- [37] H. K. Alfares and A. R. Afzal, "An Economic Order Quantity Model for Growing Items with Imperfect Quality and Shortages," *Arabian Journal for Science and Engineering*, (2021), doi: 10.1007/s13369-020-05131-z.
- [38] J. Asadkhani, H. Mokhtari, and S. Tahmasebpour, "Optimal lot-sizing under learning effect in inspection errors with different types of imperfect quality items," *Operational Research*, (2021), pp. 1-35.
- [39] S. Khalilpourazari, S. H. R. Pasandideh, and S. T. A. Niaki, "Optimizing a multi-item economic order quantity problem with imperfect items, inspection errors, and backorders," *Soft Computing*, Vol. 23, No. 22, (2019), pp. 11671-11698.
- [40] S. Mondal and M. Maiti, "Multi-item fuzzy EOQ models using genetic algorithm," *Computers & Industrial Engineering*

- Engineering*, Vol. 44, No. 1, (2003), pp. 105-117.
- [41] A. Baykasoğlu and T. Göçken, "Solution of a fully fuzzy multi-item economic order quantity problem by using fuzzy ranking functions," *Engineering Optimization*, Vol. 39, No. 8, (2007), pp. 919-939.
- [42] S. H. R. Pasandideh and S. T. A. Niaki, "A genetic algorithm approach to optimize a multi-products EPQ model with discrete delivery orders and constrained space," *Applied Mathematics and Computation*, Vol. 195, No. 2, (2008), pp. 506-514.
- [43] S. Mohan, G. Mohan, and A. Chandrasekhar, "Multi-item, economic order quantity model with permissible delay in payments and a budget constraint," *European Journal of Industrial Engineering*, Vol. 2, No. 4, (2008), pp. 446-460.
- [44] S. H. R. Pasandideh, S. T. A. Niaki, and J. A. Yeganeh, "A parameter-tuned genetic algorithm for multi-product economic production quantity model with space constraint, discrete delivery orders and shortages," *Advances in Engineering Software*, Vol. 41, No. 2, (2010), pp. 306-314.
- [45] S. H. R. Pasandideh, S. T. A. Niaki, and A. R. Nia, "A genetic algorithm for vendor managed inventory control system of multi-product multi-constraint economic order quantity model," *Expert Systems with Applications*, Vol. 38, No. 3, (2011), pp. 2708-2716.
- [46] B. Pal, S. S. Sana, and K. Chaudhuri, "Multi-item EOQ model while demand is sales price and price break sensitive," *Economic Modelling*, Vol. 29, No. 6, (2012), pp. 2283-2288.
- [47] S. Khalilpourazari, S. H. R. Pasandideh, and S. T. A. Niaki, "Optimization of multi-product economic production quantity model with partial backordering and physical constraints: SQP, SFS, SA, and WCA," *Applied Soft Computing*, Vol. 49, (2016), pp. 770-791.
- [48] S. Khalilpourazari and S. H. R. Pasandideh, "Multi-item EOQ model with nonlinear unit holding cost and partial backordering: moth-flame optimization algorithm," *Journal of Industrial and Production Engineering*, Vol. 34, No. 1, (2017), pp. 42-51.
- [49] S. Tiwari, W. Ahmed, and B. Sarkar, "Multi-item sustainable green production system under trade-credit and partial backordering," *Journal of cleaner production*, Vol. 204, (2018), pp. 82-95.
- [50] S. Khalilpourazari and S. H. R. Pasandideh, "Multi-objective optimization of multi-item EOQ model with partial backordering and defective batches and stochastic constraints using MOWCA and MOGWO," *Operational Research*, (2018), pp. 1-33.
- [51] S. Khalilpourazari, S. H. R. Pasandideh, and A. Ghodrathnama, "Robust possibilistic programming for multi-item EOQ model with defective supply batches: Whale optimization and water cycle algorithms," *Neural Computing and Applications*, Vol. 31, No. 10, (2019), pp. 6587-6614.
- [52] S. Khalilpourazari, A. Mirzazadeh, G.-W. Weber, and S. H. R. Pasandideh, "A robust fuzzy approach for constrained multi-product economic production quantity with imperfect items and rework process," *Optimization*, (2019).
- [53] H. Mokhtari and M. T. Rezvan, "A single-supplier, multi-buyer, multi-product VMI production-inventory system under partial backordering," *Operational Research*, Vol. 20, No. 1, (2020), pp. 37-57.
- [54] H. Mokhtari and A. Fallahi, "THE ECONOMIC PRODUCTION QUANTITY (EPQ) MODEL CONSIDERING INFLATION, TIME VALUE OF MONEY AND

INVESTMENT VARIABLE IN  
PRODUCTION CAPACITY," *Sharif*  
*Journal of Industrial Engineering &*

*Management*, Vol. 35. 1, No. 2. 2,  
(2020), pp. 53-67. doi:  
10.24200/j65.2019.51273.1902.

Follow This Article at The Following Site:

Mokhtari H, Hasani A, Fallahi A. Multi-Product Constrained Economic Production  
Quantity Models for Imperfect Quality Items with Rework. *IJIEPR*. 2021; 33 (2) :1-  
23

URL: <http://ijiepr.iust.ac.ir/article-1-950-en.htm>

